



CONSTRUCTION MACHINERY AND TELESCOPIC FORKLIFT > OTHERS

## Martillos Hidráulicos Arrowhead





BOADELLA USED Pol. Ind. Girona - ctra. N-II, km. 706,5 17457 Riudellots de la Selva - Girona - SPAIN www.boadellaused.com















boadellaused.com

## BOADELLA USED

Pol. Ind. Girona - ctra. N-II, km. 706,5 17457 Riudellots de la Selva - Girona - SPAIN www.boadellaused.com











Especificaciones		R40	R45	R55	R65	R70	R75
Required Flow Rate	ungin	4 - 7	5-11	10-15	12 · 18	14-21	54-25
	Lim	14 - 30	25-45	40-40	45 - 70	55-80	45-500
Preside de Operacido	ppi	3800	1300	5400	3.500	1600	1800
	tur	120	90	110	130	155	120
Dirw Rate	por minuto	650 - 5300	650 - 1300	200-1250	550 - 1200	450-1400	550 - 5200
Sound Rating	-	152	154	117	158	118	121
Diámetro de la Herramienta	pulgadan	1.6	1.8	2.1	2.6	2.75	10
	man	40	45	55	65	76	75
Peso de Trabajo	an	190	268	330	440	485	675
	N	85	120	150	200	220	305
boadellaus	ed.co	1560 2250 M 13	2250-8150 15-28	22-48	40-53	11000 12400	12300 (MADE

## BOADELLA USED

Pol. Ind. Girona - ctra. N-II, km. 706,5 17457 Riudellots de la Selva - Girona - SPAIN www.boadellaused.com



